

Air Quality Permitting Statement of Basis

September 29, 2005

Tier I Operating Permit No. T1-050407

Tesoro Refining and Marketing Co. Burley Products Terminal

Facility ID No. 031-00017

Prepared by:

Charles Mazzone, Permit Writer AIR QUALITY DIVISION

FINAL PERMIT

Table of Contents

ACRO	NYMS, UNITS, AND CHEMICAL NOMENCLATURES	3
1.	PURPOSE	4
2.	FACILITY DESCRIPTION	4
3.	FACILITY / AREA CLASSIFICATION	4
4.	APPLICATION SCOPE	4
5.	PERMIT ANALYSIS	4
6.	PUBLIC COMMENT/AFFECTED STATES REVIEW/EPA REVIEW	5
7.	RECOMMENDATION	6
APPEN	NDIX A (40 CFR 63, SUBPART R, SCREENING EQUATION)	7
APPEN	VDIX B (AIRS INFORMATION)	9

Acronyms, Units, and Chemical Nomenclatures

acfm actual cubic feet per minute

AFS AIRS Facility Subsystem

AIRS Aerometric Information Retrieval System

AQCR Air Quality Control Region

ASTM American Society for Testing and Materials

CAA Clean Air Act

CFR Code of Federal Regulations

CO carbon monoxide

DEQ Department of Environmental Quality

dscf dry standard cubic feet

EPA U.S. Environmental Protection Agency

HAPs Hazardous Air Pollutants

IDAPA a numbering designation for all administrative rules in Idaho promulgated in accordance

with the Idaho Administrative Procedures Act

MMBtu million British thermal units

NESHAP National Emission Standards for Hazardous Air Pollutants

NO_x nitrogen oxides

NSPS New Source Performance Standards

PM particulate matter

PM₁₀ particulate matter with an aerodynamic diameter less than or equal to a nominal 10

micrometers

ppm parts per million

PSD Prevention of Significant Deterioration

PTE potential to emit

Rules Rules for the Control of Air Pollution in Idaho

scf standard cubic feet

SIC Standard Industrial Classification

SIP State Implementation Plan

SO₂ sulfur dioxide T/yr tons per year

UTM Universal Transverse Mercator
VOC volatile organic compound

1. PURPOSE

The purpose for this memorandum is to satisfy the requirements of IDAPA 58.01.01.300, Rules for the Control of Air Pollution in Idaho (Rules), *Procedures and Requirements for Tier I Operating Permits*.

2. FACILITY DESCRIPTION

The Burley Products Terminal (hereafter referred to as Tesoro Burley) is a bulk terminal with total storage tank capacity of approximately 5,485,200 gallons. The facility consists of 13 storage tanks, a truck loading rack with two loading spots, various fugitive points, and other insignificant activities. The terminal receives gasoline, fuel oil, and additive through a pipeline network and truck shipments.

3. FACILITY / AREA CLASSIFICATION

Tesoro Burley is classified as a major facility, as defined by IDAPA 58.01.01.008.10, because it emits or has the potential to emit 100 T/yr or more of any regulated air pollutant listed in any Subsections 006.82.a. through 006.82.e. (Rules). The facility is currently a minor source for HAP emissions.

The facility is located within AQCR 63 and UTM zone 12. The facility is located in Cassia County which is classified as unclassifiable for all criteria air pollutants.

The AIRS facility classification is "A" because the facility emits or has the potential to emit 100 T/yr or more of VOCs, a criteria air pollutant. The AIRS information provided in Appendix B defines the classification for each regulated air pollutant at Tesoro Burley. This required information is entered into the EPA AIRS database.

4. APPLICATION SCOPE

The current application is a renewal of an existing Tier 1 permit. No changes have occurred at the facility. The permit was revised to include storage tanks 1001, 1002, 1003, and 1005 in Permit Condition 1.5 Regulated Sources, as well as in as in Permit Condition 4 Insignificant Activities. The tanks were not listed in the existing Tier I permit.

4.1 Application/Permit Chronology

March 9, 2005	DEQ receives Tier I renewal application
April 15, 2005	DEQ determines application complete
May 24, 2005	DEQ provides draft permit and statement of basis to facility for comment
July 15 - August 16, 2005	DEQ provides draft permit and statement of basis for public comment
September 1, 2005	DEQ provides proposed permit and statement of basis to EPA for expedited review

5. PERMIT ANALYSIS

This section of the statement of basis describes the regulatory requirements for this permitting action.

5.1 Emissions Inventory

Emissions have not increased at the facility during the term of its initial Tier I operating permit. Therefore, a new emissions inventory is not required.

5.2 Regulatory Review

40 OFB (2

This section describes the regulatory analysis of the applicable air quality rules with respect to this permitting action.

40 CFR 60	New Source Performance Standards
40 CFR 60.110b	Subpart Kb – Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction, or Modification Commenced After July 23, 1984.

Tank 1004 became potentially subject to subpart Kb after changes in 1989. However, the tank achieves non-applicability through 60.110b(b) because it is limited by enforceable permit conditions (PTC N0. 031-00017, issued April 16, 2002) to storing liquids that have true vapor pressures less than the subpart's 3.5 kilopascal (0.51 psi), the non-applicability cutoff vapor pressure.

40 CFR 60.500	Subpart XX – 3	Standards of Performance for Bulk Gasoline
	Terminals	

40 CFR 60, Subpart XX applies to bulk gasoline terminal truck loading racks which have been constructed or modified after December 17, 1980, the effective date. The Tesoro Burley facility was constructed prior to the affective date; therefore, Subpart XX requirements do not apply.

40 CFR 63	National Emission Standards for Hazardous Air Pollutants for Source Categories
40 CFR 63.420	Subpart R – National Emission Standards for Gasoline Distribution Facilities (Bulk Gasoline Terminals and Pipeline Breakout Stations)

Tesoro Burley used the screening equation of Subpart R to limit the gasoline throughput and therefore limit the HAP emissions to less than major threshold (10 tons per year any one HAP, 25 tons per year combined HAPs). Consequently, the facility is only subject to the monitoring and recordkeeping requirements of the subpart as defined in the permit. The monitoring and recordkeeping requirements verify that the screening equation remains accurate, and HAP emissions remain less than major source levels. In reality, Tesoro Burley's gasoline throughput is much less than allowed by Subpart R. The screening equation parameters and output are included as Appendix A.

6. PUBLIC COMMENT/AFFECTED STATES REVIEW/EPA REVIEW

In accordance with IDAPA 58.01.01.364, the draft permit developed for Tesoro Burley was provided for public notice and public comment, including an opportunity for a hearing. The states of Utah and Nevada are affected states and were provided with public comment package. There were no comments on the application and no requests for a public comment period on DEQ's proposed action.

After the public comment period, a proposed permit was developed taking into account all relevant comments received during the public comment period and hearing if requested. The proposed permit was provided to EPA Region 10 for its review as required by IDAPA 58.01.01.366. There were no EPA comments on the proposed permit.

7. RECOMMENDATION

Based on review of application materials and all applicable state and federal rules and regulations, staff recommends that Tesoro Refining and Marketing Co. be issued renewed Tier I Operating Permit No. T1-050407 for the Burley Products Terminal.

CM/sd

Permit No. T1-050407

G:\Air Quality\Stationary Source\SS Ltd\T1\Tesoro - Burley\Final\T1-050407 Final SB.doc

APPENDIX A

Tesoro Refining and Marketing Co.

Burley Products Terminal

T1-050407

40 CFR 63, Subpart R

Screening Equation Variables and Result

IDEQ SOURCE SUMMARY Tesoro Burley Terminal

Tesoro Burley Terminal 2005

40 CFR 63.420: NESHAPS Subpart R -- National Emission Standards for Gasoline Distribution Facilities (Bulk Gasoline Terminals and Pipeline Breakout Stations)

ET = CF[0.59(T_F)(1-CE) + 0.17(T_E) + 0.08(T_{ES}) + 0.38(T_i) + 8.5*10⁴(C) + KQ] + 0.04(OE)

	ET	CF	T_{F}	CE	TE	T _{ES}	Tı	С	K	Q	OE
L	0.99988	0.161	0	0	0	0	2	550	4.52E-06	1,289,633	1.21

Q =

1,289,633 L/d gasoline

= 340,685 gal/d

= 124,350,046 gallyr

= 10,220,552 gal/30 days

Q is the throughput limit established by Subpart R. Throughput is monitored on a rolling 30 day basis.

Specifications:

No MTBE.

Two tanks in gasoline service -- both are internal floating roof.

550 valves, pumps, connectors, etc.

Uncontrolled loading racks.

APPENDIX B

Tesoro Refining and Marketing Co.

Burley Products Terminal

T1-050407

AIRS Information Table

AIRS/AFS^a FACILITY-WIDE CLASSIFICATION^b DATA ENTRY FORM

Facility Name:	Tesoro Refining and Marketing Co. – Burley Products Terminal
Facility Location:	Burley, ID
AIRS Number:	031-00017

AIR PROGRAM POLLUTANT	SIP	PSD	NSPS (Part 60)	NESHAP (Part 61)	MACT (Part 63)	SM80	TITLE V	AREA CLASSIFICATION A-Attainment U-Unclassified N- Nonattainment
SO₂	В							U
No _x	В							U
со	В							U
PM ₁₀	В				<u> </u>			U
PT (Particulate)	В							U
voc	Α						А	U
THAP (Total HAPs)	В			В				U
			APPLICABLE SUBPART					
				R				

^a Aerometric Information Retrieval System (AIRS) Facility Subsystem (AFS)

b AIRS/AFS Classification Codes:

- A = Actual or potential emissions of a pollutant are above the applicable major source threshold. For HAPs only, class "A" is applied to each pollutant which is at or above the 10 T/yr threshold, or each pollutant that is below the 10 T/yr threshold, but contributes to a plant total in excess of 25 T/yr of all HAPs.
- SM = Potential emissions fall below applicable major source thresholds if and only if the source complies with federally enforceable regulations or limitations.
- B = Actual and potential emissions below all applicable major source thresholds.
- C = Class is unknown.
- ND = Major source thresholds are not defined (e.g., radionuclides).